








CANOPIES	
DRAWER SYSTEM	
ROLLER COVER	
UTE LINER	
ACCESSODIES	







### WHY FIT A CANOPY?

Storage. Big and bulky cargo? With a Canopy equipped, it doesn't matter what you throw in the back. Canopies allow you to store more cargo with less hassle and you don't have to worry about securing gear in place or covering them when you hit the road.

Security. With fully lockable side and rear windows, Canopies keep your cargo and essentials safe and sound, and away from prying eyes, the minute you leave your vehicle unattended.

Protection. Blistering heat, gale force winds, monsoonal conditions - with a canopy equipped, potential damage and inclement weather won't be a problem for your cargo! And when you head off-road, dirt, sand, water and anything else stays outside right where it belongs.



Clockwise: Stylish Plus Canopy - Ford Ranger, Stylish Canopy - Mazda BT-50, Isuzu D-Max.



Built tough and offers some serious style. Made from Aeroklas' innovative Twin Skin, an inner and outer shell of ABS that are perfectly moulded together, the Aeroklas Stylish Canopy offers incredible impact resistance as it virtually eliminates joins or weak areas as each shell is thermoformed from a single piece of ABS. It's then robotically painted to OEM standards to give your brand-new canopy a premium finish.

Aeroklas Stylish canopies also come with a lift-up central locking rear door, lift-up lockable side windows, an internal LED light and brake lights equipped. They're also available with a fold-down or drop-down front window depending on the model selected.



4 YEAR







ABS TWIN SKIN SHELL



INSTALLATION

ROOF RACK LOAD RATING\*



WARRANTY\* \*4 year warranty excluding glass. Roof rack dynamic load rating is 80kg, stationary load rating 240kg.

4

#### A WORLD FIRST

Bringing you twice the strength and durability than a single skinned canopy, the Stylish Canopy has been expertly designed with both the inner and outer shells moulded together with no joins or weak areas. This offers a much higher impact resistance and an outstanding ability to reshape after impact.

CONSTRUCTION MOUNTING SYSTEM ROOF LOAD RATING CENTRAL LOCKING WINDOW CONFIGURATION LIGHTING & ELECTRICAL FINISH

### Twin Skin ABS

C-Clamp

80kg dynamic\*

Rear window (Stylish) Side and rear windows (Stylish Plus) Dual lift-up windows (Sliding and Pop-out windows also available LED interior light and LED brake light\*

Smooth colour-coded paint, matched to high OEM standards

\*Roof rack dynamic load rating is 80kg, stationary load rating 240kg. LED brake light is model dependent. Available

### TWIN SKIN DESIGN

Made from inner and outer ABS thermoformed shells, that are then moulded together to create a high-quality OEM premium finish that not only looks great but is incredibly strong.

#### **EXCEPTIONAL LOOKS**

Every Aeroklas Stylish Canopy is designed to aesthetically enhance your 4x4. After thermoforming, the canopy's outer shell is robotically painted to OEM standards to give each Aeroklas Stylish Canopy a premium exterior finish. This is further complemented by tinted and tempered glass windows, which grant you access to the textured and elegant ABS canopy interior.



### **BUILT TO LAST**

Crafted with a beautiful smooth finish, the robust outer shell is robotically painted to OEM standards and passes all OEM testing requirements for paint finishes. Backed by a market-leading 4-year warranty, the Aeroklas Stylish Canopy offers an attractive textured finish and features no external wiring or bracketry, while the canopy shells themselves are made from 100% recyclable ABS.



AERO



Clockwise: Drop down window for easy cleaning access to the vehicle's rear window. Robitcally painted to OEM standards. No-drill C-clamp mounting system. LED interior light. Dual Lift-up Side Windows (Lift-up shown. Sliding and pop-out options also available). LED brake light incorporated on most models. Aeroklas by Rhino-rack track mount 80kg\* roof racks available separately. Compatible with Aeroklas's self supporting roof racks (load rating up to 150kg).

\*Roof rack dynamic load rating is 80kg, stationary load rating 240kg.







The Stylish Plus Canopy retains the same stunning good looks while also offering improved accessibility by way of its raised roof profile and plus-sized windows.




The Stylish Plus Canopy gains push-button window operation and all-round central locking on side and rear windows.

KLAS











### Store more, protect more, and get more out of your $4 \times 4$ with the twin-skin equipped Aeroklas Buddy Canopy.

Featuring a higher roof and larger side and rear windows, the allnew Aeroklas Buddy canopy is perfect for those looking to increase their loading space, whilst still maintaining an array of premium canopy features.

Just like our 'Stylish' range, the Aeroklas Buddy canopy is constructed from ABS (Acrylonitrile Butadiene Styrene) and features our innovative twin-skin design for incredible durability.



WARRANTY\*







added peace of mind.





The exterior is finished in smooth OEM (Original Equipment Manufacturer) paint and is colour coded to match your vehicle.

With central locking on the rear door and lockable side windows

and secure no matter where you lock up. The Aeroklas Buddy

as standard, you can rest easy knowing that your cargo will be safe

canopy is also backed by a market-leading 4-year warranty on the shell and 1-year warranty on componentry (excluding glass), for

\*4 year warranty excluding glass. Roof rack dynamic load rating is 80kg, stationary load rating 240kg.



From Left: Buddy Canopy - Nissan Navara, Toyota HiLux, Ford Ranger.





Infuse your 4x4 with extra storage, security and functionality with the Aeroklas Injecta Canopy. The Aeroklas Injecta Canopy is formed using Reaction Injection Molding (RIM), which gives you a stronger, more flexible canopy than traditional single shell ABS or fibreglass canopies. This process, which removes potential joins and weak areas from each canopy, infuses the Injecta with exceptional impact resistance and the ability to reshape it after an impact.

The Injecta's combination of high-quality materials and superior

manufacturing processes come together to form an unbelievably strong and functional ute canopy. Boasting a dynamic load rating of 120kg\* (350kg static), the Injecta empowers you to carry more both inside and out.

After the Injecta canopy's tough shell is formed, it's robotically painted to OEM standards with added UV protection to ensure your canopy's finish perfectly matches your vehicle, both in colour and durability.



WARRANTY\*





PROFILE





NO DRILL



ROOF RACK INSTALLATION LOAD RATING\*

\*4 year warranty excluding glass. Roof rack dynamic load rating is 120kg, stationary load rating 350kg.

INJECTION MOLDING



## INJECTA CANOPY



# READY TO TAKE ON THE WEIGHT OF THE WORLD



The Aeroklas Injecta Canopy boasts a massive dynamic load rating of 120 kilos\* – so you can carry more on top of your vehicle as well as inside.

### THE STRONGEST CANOPY IN ITS CLASS

The Aeroklas Injecta Canopy uses the combination of high-quality materials and superior manufacturing processes to create the strongest 4x4 canopy. Manufactured using Reaction Injection Moulding (RIM), the Aeroklas Injecta Canopy boasts more strength and flexibility than traditional single shell ABS or fibreglass canopies. The unique injecta process also provides incredible impact resistance and the ability to be easily reshaped after impact.

### CONVENIENT & INTUITIVE FEATURES

On top of the enhanced durability and strength, the Aeroklas Injecta Canopy boasts a plethora of welcome features and convenient additions that seamlessly integrate with your 4x4. Upon installation, vehicle access is made simple with a drop-down front window and dual lift-up side windows (standard option), that are all key lockable for added security. It also features a central locking rear door that uses the standard OEM fob with no additional keys required, and an internal anti-entrapment release handle for added peace of mind.





Clockwise: LED Interior Light. No-drill C-clamp mounting system.

## MAZDA D-MAX

### EXTRA LARGE SIDE WINDOW OPENINGS

CONSTRUCTION	Re M
MOUNTING SYSTEM	С
ROOF LOAD RATING	12
CENTRAL LOCKING	Re
WINDOW CONFIGURATION	D
LIGHTING & ELECTRICAL	LE ar

Molding (RIM) C-Clamp 120kg dynamic\* Rear window Dual Lift Windows LED interior light and LED brake light\*

eaction Injection

**FINISH** Smooth colour-coded paint, matched to high OEM standards

Roof rack dynamic load rating is 120kg, stationary load rating 350kg. LED brake light is model dependent\*



Whether you are packing the car for work, hitting the road for a week away or touring around Australia for months on end, cargo storage is an essential factor for all kinds of travel.

Aeroklas drawers makes it easier to find and pack away individual items, to set up camp at the end of the day and to spend less time looking for gear and more time on the road (or off it).

By kitting out your 4x4 with an Aeroklas Drawer System, you can instantly simplify how your cargo is stored, how easy it is to access and how well protected it is.



Aeroklas Drawers make organising and accessing cargo simple. Utilising a twin drawer, fixed top configuration and a rattle-free

sealed runner system, Aeroklas Drawers are built for reliable

performance whether you're on the job site, on the road or

Built around a galvanised steel chassis, that's finished with glass-

filled polypropylene top panels and wing kits, Aeroklas Drawers are lightweight yet incredibly strong. Each drawer has a load rating of 45kg, while the drawer top has a load rating of 100kg - both of which are finished in hard-wearing marine carpet. Heavy-duty stainless-steel latches with slam-shut functionality are integrated into a rugged black powder-coated fascia, giving Aeroklas Drawers a high-end look to complement their utility.

### NO SPACE WΔS

Removable wing kits provide easy lift-up access to additional storage.

AEROKLAS DRAWERS ARE A ROBUST STORAGE SOLUTION FOR YOUR 4X4 - WHETHER YOU'RE ON THE JOB SITE, ON THE ROAD OR AT CAMP.

GAIN SURFACE AREA

FITS LIKE A GLOVE

Aeroklas use CAD engineered data to match the sidewall topography of your ute tub for a precision fit.



Access the hardest to reach area of your tub by sliding the drawer out at tailgate height to reach all of your stored gear.








CAPACITY

HUGE STORAGE MODEL SPECIFIC

at camp.

WING KITS

Clockwise: Fully sealed built-in roller bearings. Fridge tie-down point available. Aeroklas Drawers make organising and accessing cargo simple. Glass-filled polypropylene top panels and wing kits. Aluminium edge strip protects the carpet edge.





Aeroklas Drawer Systems are designed to be vehicle specific, which means each system is built to complement your vehicle.



Key-lockable and heavy-duty slam-shut stainless steel levers.

CONFIGURATION	Two-drawer unit with vehicle-specific wing kits and fixed top
CHASSIS CONSTRUCTION	Galvanised steel chassis
TOP & WING CONSTRUCTION	Glass-filled polypropylene (11mm thick)
FINISH	Polyester carpet top and wings, lines with high-quality carpet; carpet-lined drawers; aluminium top-edge strip.
DRAWER RUNNER SYSTEM	Built-in roller bearings (fully sealed)
DIMENSIONS	1400mm x 420mm x 270mm (L x W x H)
LOAD RATINGS	Drawer top 100kg and 45kg each drawer
LATCHES	Key-lockable, heavy duty slam-shut stainless steel levers
SYSTEM WEIGHT	I 20kg

AEROKLAS

e. . ....

4XH

### **ROLLER COVER**

### CROSS BAR COMPATIBLE

Aeroklas Roller Covers are Cross Bar compatible, to instantly provide you another area of vital storage that's readily accessible.

MATERIALBlack anodised aluminiumLOCKINGThree stage mechanism;<br/>fully open, half open, fully closedROLLERSSpeed adjustable tensionMOUNTING SYSTEMC-ClampCOMPATIBILITYCross bar racksDRAINAGEIntegrated 4-point system

Lit Martin

A roller cover is a simple way to add cargo protection and greater functionality to your ute.

An Aeroklas Roller Cover keeps your belongings safe and secure, while it can be retracted to allow you to retain the same open air cargo storage capability as a regular tub. Featuring a black anodised aluminium body that's designed to be tough yet lightweight, the Aeroklas Roller Cover is a secure and stylish storage solution.

Each roller cover has an adjustable spring tension roller system that allows you to select an opening speed that suits you, while it also includes a three-stage locking mechanism and pull strap for easy opening and closing. Meanwhile, an integrated four-point drainage system maximises water dispersion to make washing simple and rain a non-issue.









Designed to protect and made to last. Aeroklas Ute Liners are the perfect shield for the inner side of your ute bed.

Aeroklas Ute Liners provide a protective coating to shield the inner side of your vehicle's tray from damage. Constructed from premium grade HDPE (High Density Polyethylene), Aeroklas Ute Liners are strong, flexible, and ultra-durable to reduce the risk of chipping and cracking.







4 YEAR WARRANTY\* NO DRILL TOUGH & INSTALLATION DURABLE

Aeroklas Ute Liners are available in over rail and under rail configurations.



Left: Under Rail Ute Liner shown. Right: Over Rail Ute Liner shown.

### **FEATURES**

- Premium grade High Density
  Polyethylene construction wards
  off chipping or cracking from
  excessive forces
- Provides an exceptional level of protection for the tub
- Lightweight and durable; withstands excessive forces and is also scratchproof
- UV protective agent added ensures maximum durability in even the harshest Australian conditions
- Tailgate section is rubber sealed to reduce friction between the bed and the door, eliminating the potential for rust
- Innovative design for a perfect fit
- Patented Aeroklas installation system; no drilling required
- Certified high quality by the Thailand Automotive Institute











### **W**NIVERSAL SIDE STEPS

I Make getting in and out of your vehicle easier and safer, while adding comprehensive protection from potential damage to your 4x4's side panels with Aeroklas Side Steps.

Designed to be practical and functional for everyday driving or extended travel periods, Aeroklas Side Steps make accessing your 4x4's cabin or roof-loaded cargo simpler than ever.

Aeroklas Side Steps feature glass fibre-reinforced polypropylene construction and steel mounting brackets, which gives them a 100kg working load limit to more than exceed OEM standards.

## TAILGATE ASSIST

**2** Whether it's to unload gear or slide in some heavy timber, Aeroklas' Tailgate Assist makes accessing your canopy simpler than ever before. Tailgate Assist utilises a unique design that reduces the weight of the tailgate by up to 70% making it nice and light especially when you're dealing with heavy loads. This is perfect for easy one-handed operation and makes the tailgate safer by stopping it from slamming.

## 🗗 UST SEAL KIT

**3** Aeroklas has designed and developed a solution to keep your ute tub cargo dust-free, which has become a significant headache nowadays for those travelling off-road.

The Aeroklas Dust Seal Kit contains two metal brackets bolted to the inside rear of the tub, along with a rubber extrusion that runs at the bottom and side of the tailgate.

These kits are intelligently engineered and designed to fill gaps within the tailgate's closure.

## ROOF BAR SYSTEM

**4** Rhino-Rack has been creating world-class roof racks since 1992. Today, Rhino-Rack is the proud owner of Australia's most diverse and innovative range of roof rack products; supplying high quality gear to countless industries.

Aeroklas By Rhino-Rack Canopy Roof Bar System is fully engineered to carry up to 70-80kgs on the roof of all Aeroklas Canopies. The new roof rack system makes it easy to mount an awning or carry and strap larger items.



**5** Aeroklas Canopy Vent is designed to significantly reduce dust ingress into the canopy interior and improve airflow.

Constructed from UV stabilised ABS Plastic, the Aeroklas Canopy Vent is designed to withstand harsh Australian conditions with ease and continue to exceed expectations for years to come.

Thanks to its unique slimline design, roof racks and bars can still be installed on top without the possibility of obstructing airflow into the canopy.

